

# PHOSPHONOL PVG



磺酸酯加脂剂

## 成份

**Phosphonol PVG** 由磺酸酯, 乳化剂及合成油.

**Phosphonol PVG** 渗透性优良, 不产生松粒面.

**Phosphonol PVG** 可产生重量轻皮.

**Phosphonol PVG** 适合产生白色皮.

**Phosphonol PVG** 可以当染料分散剂使用.

**Phosphonol PVG** 及 **Altan MC** 可提高染料渗透性.

**Phosphonol PVG** 可润滑纤维但不会产生油腻感.

建议 **Phosphonol PVG** 与其他 **Yolkanol** 及 **Eurekanol** 油脂一起使用. 例如: 1分 **Phosphonol PVG** : 2分其他加脂剂.

为了达到最好的效果 **Phosphonol PVG** 需要在冷水中稀释.

## 应用范围

**A.** 软羊皮: 至 6%**Phosphonol PVG**.

**B.** 箱包皮: 至 4%**Phosphonol PVG**.

**C.** 手套革: 至 6% **Phosphonol PVG**.

**D.** 染色浴液: 2% **Phosphonol PVG** 及染料搅拌均匀.

## 特性

外观:	白色液体
分析:	pH 5.0-6.0
有效成份:	52-56%
电性:	阴离子
稳定性:	用于铬复鞣, 铬复鞣, 复鞣, 主加脂, 顶加脂浴.
储存方法:	室温. 如出现霜冻, 搅拌均匀即可. 存放在阴凉及通风的库房.
保质期:	密封容器约 18 月.

## 包装

120KGS 塑料桶

The information and technical advice are provided to you 'as is' and the Company expressly disclaims all warranties of any kind, either implied or expressed. You agree to indemnify and hold harmless the Company and its representatives, subsidiaries, affiliates, related parties, officers, directors, employees, agents from any claim or demand, including reasonable legal fees, that may be filed by any third party, arising out of your conduct or connection with the use of "Product Literature" or "Technical Information" or "Technical Advice" or "Technical Guidance" or any "Recommendation".